**Supplementary Table 1.** Differences in characteristics between people who participated in baseline survey and those who participated in both baseline and follow-up surveys

	People who	People who participated in both baseline and follow-up surveys (n=2,159)	p-value
	participated in		
	baseline survey		
	only		
	(n=1,643)		
Sex (%)			
Men	44.7	40.9	$0.018^{a}$
Age (years old; mean $\pm$ SD)	$75.3 \pm 6.1$	$73.3 \pm 7.1$	<0.001 <sup>b</sup>
Marital status (%)			
Married	58.3	63.0	$0.003^{a}$
Household composition (%)			
Living alone	26.4	23.0	$0.014^{a}$
Ouration of residence (%)			<0.360°
<30 years	26.6	25.5	
30–49 years	32.5	36.7	
≥50 years	40.9	37.8	
Educational year (%)			<0.001°
6–9 years	19.2	12.3	
10-12 years	42.4	42.0	
≥13 years	38.4	45.7	
Subjective financial status (%)			<0.001°
Affluent	34.5	38.6	
Neither	28.1	22.4	
Poor	37.4	39.0	
Comorbidities (%)			$0.003^{\circ}$
0	31.9	36.3	
1	46.7	45.4	
≥2	21.4	18.3	
Self-rated health (%)			
Good	72.3	81.8	<0.001 <sup>a</sup>

IADL score (ranging from 0–5; mean ± SD)	$4.7 \pm 0.8$	$4.9 \pm 0.5$	<0.001 <sup>b</sup>	
Frequency of community activity participation (%)				
Non-participation	47.1	35.9		
<once a="" td="" week<=""><td>28.5</td><td>30.6</td><td></td></once>	28.5	30.6		
≥once a week	24.4	33.5		
Frequency of going out per month (times; mean $\pm$ SD)	$26.2\pm17.9$	$28.2\pm17.5$	<0.001 <sup>b</sup>	
Employment status (%)				
Working	64.6	64.8	$0.934^{a}$	
Social isolation status (%)				
Socially isolated	25.4	21.0	$0.002^{a}$	

IADL, instrumental activities of daily living; SD, standard deviation.

a: chi-squared test. b: t-test. c: Mann-Whitney U-test.